CONTENTS OF *FISHERIES RESEARCH* VOLUME 9

VOL. 9 NO. 1 JULY 1990

Quality changes in seafrozen whole and filleted rock cod (*Epinephelus* spp.) during storage
P.T. Lakshmanan, P.R.G. Varma, T.S.G. Iyer and K. Gopakumar (Cochin, India) 1
Shrimp retention characteristics of the Morrison Soft TED: a selective webbing exclusion panel inserted in a shrimp trawl net
D. Kendall (Brunswick, GA, U.S.A.) 13
Spawning of witch flounder (*Glyptocephalus cynoglossus* L.) in the Newfoundland–Labrador area of the northwest Atlantic as a function of depth and water temperature
W.R. Bowering (St. John's, Newfoundland, Canada) 23
The application of high-resolution navigation systems to Leslie–DeLury depletion experiments for the measurement of trawl efficiency under open-sea conditions
L.M. Joll and J.W. Penn (North Beach, W.A., Australia) 41
Estimation of optimum gill net mesh size for maximum yield in an exploited population of brown trout (*Salmo trutta* L.) in southern central Norway
T. Hesthagen (Trondheim, Norway) and H. Holthe (Oslo, Norway) 57

Short Communications
Prediction of the Mullidae fishery in the eastern Mediterranean 24 months in advance
K.I. Stergiou (Athens, Greece) 67
Resazurin test for estimating bacteriological quality of fishes
Y. Mallikarjuna Reddy, I. Karunasagar and I. Karunasagar (Mangalore, India) 75
Minor cyprinid resources in a man-made lake in Sri Lanka: a potential supplementary source of income for fishermen
U.S. Amarasinghe (Colombo, Sri Lanka) 81

Book Reviews
Atlantic salmon 91
Invertebrate fisheries 92
Fish population dynamics revisited 93

VOL. 9 NO. 2 AUGUST 1990

On the validity and precision of back-calculation of growth from otoliths of the plaice, *Pleuronectes platessa* L.
A.D. Rijnsdorp, P.I. van Leeuwen and T.A.M. Visser (IJmuiden, The Netherlands) 97
Biology of grunt *Plectorhynchus pictus* (Thunberg) 1972, (Haemulidae, Teleostei, Percoidei) from the Red Sea (Jizan Area)
S.M. Al-Ogaily and A. Hussain (Riyadh, Saudi Arabia) 119
Spring and autumn spawners of herring (*Clupea harengus*) in the North Sea, Skagerrak and Kattegat; population genetic analysis
G. Dahle and A.G. Eriksen (Bergen, Norway) 131
The statistical design of comparative fishing experiments
M.O. Bergh, E.K. Pikitch, J.R. Skalski and J.R. Wallace (Seattle, WA, U.S.A.) 143

Effect of tow duration on length composition of trawl catches
O.R. Godø, J.H. Vølstad (Bergen, Norway) and M. Pennington (Woods Hole, MA, U.S.A.) 165

Short Communication
Age, growth and meat yield of the European anchovy (*Engraulis encrasicolus*, L. 1758) in the Black Sea
H. Karacam and E. Düzgünes (Trabzon, Turkey) 181

Book Review
Fish pathology 187

VOL. 9 NO. 3 SEPTEMBER 1990

Movements of juvenile eastern king prawns, *Penaeus plebejus*, and identification of stock along the east coast of Australia
S.S. Montgomery (Cronulla, N.S.W., Australia) 189
Wound healing in prawns tagged with streamer tags, and the effect of tag placement and prawn size on survival rate
T.J. Wassenberg (Cleveland, Qld., Australia) and J. Kerr (Indooroopilly, Qld., Australia) 209
Laboratory investigations of bait acceptance by the cod, *Gadus morhua* L.: identification of feeding stimulants
A.D.F. Johnstone and A.M. Mackie (Aberdeen, Gt. Britain) 219
Surplus production model analysis of crab (*Cancer magister* Dana) fisheries of British Columbia, Canada)
M. Stocker and T.H. Butler (Nanaimo, B.C., Canada) 231
The influence of natural and anthropogenic environmental change on white perch stock status in the Choptank River, Maryland
J.K. Summers, W.A. Richkus, C.F. Stroup (Columbia, MD, U.S.A.) and L.J. Rugolo (Annapolis, MD, U.S.A.) 255
Study of mesh stress and shape of an axisymmetrical net using the membrane theory
X.-Y. Li and E. Hou (QingDao, People's Republic of China) 269

Short Communication
Back-calculation of growth from broken cod otoliths
J. Gjøsæter and K. Lønnhaug (His, Norway) 283

VOL. 9 NO. 4 OCTOBER 1990

Fish behaviour studies as an aid to improved longline hook design
I. Huse and A. Fernö (Bergen, Norway) 287
Effective range of traditional Malaysian FAD as determined by fish-releasing method
S. Ibrahim, M.A. Ambak (Terengganu, Malaysia) and G. Kawamura (Kagoshima, Japan) 299
Migration of turbot (*Psetta maxima* L.) in the northern Baltic proper
G. Aneer and L. Westin (Stockholm, Sweden) 307
The use of standard and inverse Leslie experiments to estimate the abundance of the

coconut crab (*Birgus latro* L.) in Vanuatu
W.J. Fletcher (North Beach, W.A., Australia), I.W. Brown (Deception Bay, Qld., Australia) and D.R. Fielder (St. Lucia, Qld., Australia) 317
A comparison of three fish trap designs
M.R. Collins (Charleston, SC, U.S.A.) 325
Multiplicative catch-at-age analysis of Scad (*Trachurus trachurus* L.) from Western Iberian waters
M. de Fatima Borges (Lisbon, Portugal) 333
Sample size and grouping of data for length–frequency analysis
K. Erzini (Narragansett, RI, U.S.A.) 355

Short Communication
Minor extension of the von Bertalanffy growth theory
M.R. Lipinski (Rondebosch, South Africa) and M.A. Roeleveld (Cape Town, South Africa) 367

Book Review
Nutrition of pond fishes 373

Author Index 375